

**CHAMUNDESHWARI ELECTRICITY SUPPLY CORPORATION LIMITED**

(A Government of Karnataka Undertaking)

PhNo : 0821-2417108  
 e-mail: gmpurc@cescmysore.org  
 sepcescmys1@gmail.com



Corporate office,  
 #29, Vijayanagara 2<sup>nd</sup> Stage,  
 Hinkal, Mysuru-570017

CESC/GM(P)/DGM(P)/AGM(P-1)/2020-21/ 23140-43

Date: 24 FEB 2021

**LETTER OF INTENT TO AWARD**

**M/s Sri Chamundeshwari Electricals,  
 12<sup>th</sup> Cross, Srinagara, S.S Mutt Road,  
 Tumakuru-572104.**

|                        |
|------------------------|
| BY REGD. POST ACK. DUE |
|------------------------|

Sir,

- Sub: Providing/Improving electrical infrastructure under Special Development Plan, on Total Turnkey basis under Unit Rate contract in K.R. Nagara Taluk
- Ref: 1) CESC/GM(P)/DGM(P)/AGM(P-1)/2020-21/C2-4864, Date: 21-10-2020  
 2) Tender No. in e-portal: CESC/2020-21/EL/WORK\_INDENT1254  
 3) Techno-Coml Bid opened on 30-11-2020 & Price Bid on 15-01-2021  
 4) Negotiation Meeting held on 18-01-2021  
 5) Note approved by Hon'ble MD, CESC vide para(40)/09-02-2021

\*\*\*\*\*

CESC is pleased to intent to award the contract for carrying out the work of Providing/Improving electrical infrastructure under Special Development Plan, on Total Turnkey basis under Unit Rate contract in K.R. Nagara Taluk for a period of Six Months at quoted/negotiated rates indicated below with total unit rate contract value limited to **₹63.82 Lakhs (Sixty Three Lakhs Eighty Two Thousand Only)**, subject to terms and conditions mentioned in the Bid Document.

**1) SCOPE OF WORK:**

Scope of Work includes:

- i) Supply of materials, construction and testing of 11KV HT lines (Link Lines, Extension) on 9 Mt RCC/PSC poles using Rabbit ACSR conductor.
  - ii) Supply and construction of LT lines (Link Lines, Extension) on 8/9 Mt RCC/PSC poles using Weasel ACSR conductor.
  - iii) Additional TC works: Supply & Erection of BEE Star-1 Rated (Max. Loss Level: 50% Load-190 Watts & 100% Load-635 Watts), BIS Certified, 25KVA Distribution Transformer Centre on Double pole structure as per CESC specification.
  - iv) HT/LT reconductoring works
  - v) Providing Intermediate Poles to HT/LT lines
  - vi) The materials which are not in the schedule (left out materials) but are essential for completion of works are to be supplied by the agency and the rate for the same (supply & erection) will be paid as per quoted tender premium over prevailing Schedule of Rates.
  - vii) Any other related works
  - viii) The Executive Engineer (Elec.), O & M Division shall approve and issue Work Awards for individual works.
- 2) The contract price mentioned in the annexures is inclusive of GST, CESC will not pay any taxes and levies whatsoever in respect of this contract.
  - 3) The prices for supply portion and erection portion shall be **FIRM** and valid throughout the period of contract and no price variation is allowed.
  - 4) The work shall be completed in all respects within **Six Months from the date of DWA.**



- 5) Award of contract is subject to compliance of the following conditions/requirement.
- a. The acceptance to the LOI should be sent within 20 days from the date of LOI or 7 days from the date of receipt of this letter of intent, whichever is earlier.
  - b. Contract Agreement shall be executed within 20 days from the date of issue of this LOI, for supply and erection of all equipment/materials and agreeing to follow Clause 7.0 of GCC of Section –III of the bidding document and all the terms and conditions stated elsewhere in the bid document, on Karnataka Government stamp paper of value ₹ 200/- as per proforma mentioned in annexure of techno-commercial of the bid document with the General Manager (Procurement), CESC, Mysuru.
  - c. You are required to furnish the Bank Guarantee towards Contract Performance Guarantee issued by any Nationalized Bank/Scheduled Commercial Bank for an amount of ₹1,91,000/- being 3% of the Contract Value for both supply and Erection portion, which shall be **valid up to 90 days after the expiry of warranty period i.e., 15 months from the date of this LOI** as per Clause No. 19.0(c) of Section II, ITB and Clause-32.2 of Section III, GCC of Volume-I. The Bank Guarantee & Contract Agreement shall be furnished in the format uploaded in e-portal along with other Bid Documents.
- 6) **If failed to comply with the above requirements, within 20 days from the date of LOI a penalty to an extent of 1% of Bid Security/EMD amount per day of delay beyond the prescribed time, will be levied and the same will be deducted from the EMD held with the owner as per ITB 35.4 of bid documents.**
- 7) Please note that the date of DWA is to be reckoned for all contractual purposes including delivery/completion schedule.
- 8) The firm shall procure and supply the materials from CESC approved vendors/regular suppliers to CESC only. Any proposal for procurement of materials other than the approved vendors, 'Vendor Approval' shall be obtained from the General Manager (Tech), CESC, Mysore prior to supply of such bought out items. "The owner reserves the right to choose vendors for approval". List of Vendor Approved Firms/ Regular suppliers to CESC will be available at [www.cescmysore.org](http://www.cescmysore.org).
- 9) Materials manufactured and tested as per standards shall be supplied.
- 10) Registration/Statutory Inspection Charges like inspectorate charges etc., shall be paid by the contractor. The same will be reimbursed on submission of challans for payments.
- 11) Penalty for delay in execution of work shall be as per Clause-13.0 of Section-V of SCC and clause 14.0 of GCC of Bidding Documents.
- 12) Payment will be made as per clause 8.0 of Section-V of Special Conditions of Contract with approved unit prices indicated in detailed work award.
- 13) The materials supplied shall be guaranteed as per Clause 15.0 of Section-III, GCC of Bidding Documents.
- 14) All other terms and conditions are as per the Bid Document.
- 15) The concerned Executive Engineer O&M Division/Superintending Engineer, O&M Circle will operate the rate contract as and when the work orders, for individual TC wise/LT line extension, estimates are issued and issue work award for individual works as per rules.
- 16) ESI & PF registration is mandatory as per labour act & the contractor shall produce the necessary document at the time of work award in order to regulate the same as per rules.
- 17) **Settlement of disputes:**  
Any dispute or difference or claim arising out of, or in connection with, or relating to the present contract or the breach, termination or invalidity thereof, shall be referred and settled under the Arbitration center – Karnataka(Domestic and International) Rules 2012, by one or more arbitrators appointed in accordance with its rules.

## 18) Price Schedule

**Part-A: Extension of HT Line**

| Sl No. | Particulars of material  | Unit | Qty. | Unit Price including TTK Parameters as per CSR 2018-19 (Rs.) | Unit Price including TTK Parameters as per CSR 2018-19 (Rs.) | Awarded Unit Price @ 6.8% including TTK Parameters as per CSR 2018-19 (Rs.) |         |
|--------|--|------|------|--|--|---|---------|
|        |  |      |      | Material   | Labour   | Material  | Labour  |
| 1      | 9.00 Mtrs long RCC pole 145 Kg WL  | Nos. | 1    | 6516.46  | 1589.03  | 6959.57   | 1697.08 |
| 2      | 9.00 Mtrs long PSC pole 200 Kg WL  | Nos. | 1    | 3841.36  | 1589.03  | 4102.57   | 1697.08 |
| 3      | Rabbit ACSR  | km   | 1    | 38004.33   | 3909.88  | 40588.62  | 4175.75 |
| 4      | 11kV, 5kN Composite / Polymeric Pin Insulator (24mm dia FRP Rod)   | Nos. | 1    | 187.43   | --   | 200.18  | --      |
| 5      | 11kV, 45kN Polymeric Insulators  | Nos. | 1    | 170.77   | --   | 182.39  | --      |
| 6      | 11KV Horizontal cross arms with clamp, HTST , bolts &nuts of required size and washers etc for RCC pole.     | Nos. | 1    | 462.34   | 144.46   | 493.78  | 154.28  |
| 7      | 11KV Horizontal cross arms with clamp, HTST , bolts &nuts of required size and washers etc for PSC pole.     | Nos. | 1    | 456.09   | 144.46   | 487.10  | 154.28  |
| 8      | DP Set using RCC, 145KG WL/PSCC Pole 300Kg WL - MS (Dwg No. BESCOM/GM/QS&S/33 Dtd 24.11.2018)<br>BoM No.     | Set  | 1    | 4808.72  | 4876.10  | 5135.72   | 5207.68 |
| 9      | Guy sets complete with No.15 strain insulator and concreting materials                                       | Set  | 1    | 864.28   | 531.49   | 923.05  | 567.63  |
| 10     | Guy concreting with Boulders, Mud and Sand   | Nos. | 1    | --   | 237.13   | --  | 253.25  |
| 11     | PG clamps for Rabbit conductor   | Nos. | 1    | 82.26  | --   | 87.86   | --      |
| 12     | Spiral earth electrode   | Nos. | 1    | 171.81   | 83.13  | 183.50  | 88.78   |
| 13     | Providing guarding at Road Crossings, Telephone Line Crossings(Labour Charges includes fixing of Cross Arms) | Mtr  | 1    | 83.30  | 15.06  | 88.97   | 16.08   |
| 14     | Caution/Danger board as per drawing  | Nos. | 1    | 152.03   | 72.23  | 162.37  | 77.14   |
| 15     | Anti climbing device (12 Mtrs/1 kg GI barbed wire)   | kg   | 1    | 79.14  | 38.16  | 84.52   | 40.75   |

**Part-C: Extension of LT Line**

| Sl No. | Particulars of material  | Unit | Qty. | Unit Price including TTK Parameters as per CSR 2018-19 (Rs.) | Unit Price including TTK Parameters as per CSR 2018-19 (Rs.) | Awarded Unit Price @ 6.8% including TTK Parameters as per CSR 2018-19 (Rs.) |         |
|--------|--|------|------|--|--|---|---------|
|        |  |      |      | Material   | Labour   | Material  | Labour  |
| 1      | 8.0 Mtrs long RCC poles.115 kg WL  | Nos. | 1    | 4900.36  | 1270.13  | 5233.58   | 1356.50 |
| 2      | 8.0 Mtrs long PSC poles.200 kg WL  | Nos. | 1    | 3180.13  | 1270.13  | 3396.38   | 1356.50 |
| 3      | Weasel ACSR  | km   | 1    | 22442.10   | 2867.33  | 23968.16  | 3062.31 |
| 4      | LT 4 Pin Cross arms with pole clamp, B&N of required size and washers etc for RCC pole | Set  | 1    | 283.23   | 144.46   | 302.49  | 154.28  |
| 5      | LT 4 Pin Cross arms with pole clamp, B&N of required size and washers etc for PSC pole | Set  | 1    | 276.99   | 144.46   | 295.82  | 154.28  |
| 6      | Pin Insulators 1.1 KV class with G.I.Pins, Nuts & Washers                              | Nos. | 1    | 49.98  | --   | 53.38   | --      |
| 7      | No.8 Strain Insulators   | Nos. | 1    | 16.66  | --   | 17.79   | --      |
| 8      | Guy sets complete with 8 strain insulators & concreting materials                      | Set  | 1    | 864.28   | 531.49   | 923.05  | 567.63  |
| 9      | Guy concreting with Boulders, Mud and Sand   | Nos. | 1    | --   | 237.13   | --  | 253.25  |




**Part-B: DTC**

| Sl No. | Particulars of material   | Unit         | Qty. | Unit Price including TTK Parameters as per CSR 2018-19 (Rs.) | Unit Price including TTK Parameters as per CSR 2018-19 (Rs.) | Awarded Unit Price @ 6.8% including TTK Parameters as per CSR 2018-19 (Rs.) |         |
|--------|---|--------------|------|--|--|---|---------|
|        |   |              |      | Material   | Labour   | Material  | Labour  |
| 1      | 9 Mt RCC DP Transformer Structure (Excluding 9 Mt RCC Poles)                                  | No           | 1    | 14168.97   | 6169.40  | 15132.46  | 6588.92 |
| 2      | 11kV/433V, 25KVA, 3 Phase, 50 Cys Distribution Transformer BEE-4 Star Rated with Oil          | No           | 1    | 67580.37   | 1022.10  | 72175.84  | 1091.60 |
| 3      | Guy sets complete with No.15 strain insulator and concreting materials                        | Set          | 1    | 864.28   | 531.49   | 923.05  | 567.63  |
| 4      | Guy concreting with Boulders, Mud and Sand  | Nos.         | 1    | --   | 237.13   | --  | 253.25  |
| 5      | Earthing materials pipe type for grounding as per drawing (single electrode with accessories) | Set/3Nos     | 1    | 4688.97  | 2579.78  | 5007.82   | 2755.21 |
| 6      | Caution/Danger Board  | No           | 1    | 152.03   | 72.23  | 162.37  | 77.14   |
| 7      | Anti-Climbing device(12mtrs/1Kg GI Barbed Wire) Lumpsum                                       | kg           | 1    | 79.14  | 38.16  | 84.52   | 40.75   |
| 8      | GI Wire 8 SWG   | Kgs          | 1    | 65.91  | --   | 70.39   | --      |
| 9      | Guy wire 7/10SWG  | Kgs          | 1    | 67.83  | --   | 72.44   | --      |
| 10     | a) LT Protection kit  | No           | 1    | 1719.19  | 307.99   | 1836.09   | 328.94  |
|        | b) LT Wiring (LT Protection Kit) SINGLE CIRCUIT   | No           | 1    | --   | --   | --  | --      |
|        | i) Al Lead Wire - 50 Sq mm  | Mt           | 1    | 46.14  |  | 49.28   |         |
|        | ii) Heavy Duty Long barrel Cu Lugs - 50 Sq mm   | No           | 1    | 41.65  |  | 44.48   |         |
|        | iii) PG Clamps - Rabbit to 50 Sqmm  | No           | 1    | 82.26  |  | 87.86   |         |
|        | iv) Spacers for DTC Wiring  | No           | 1    | 42.69  | 851.75   | 45.60   | 909.67  |
|        | v. Fish Plate with necessary Clamps, bolts & nuts etc., complete (Galvanised)                 | No           | 1    | 156.20   |  | 166.82  |         |
|        | c) LT Metering box with CTs and necessary wiring for housing ETV Meter (Please see CDS-42)    | No           | 1    | 5505.35  | 771.35   | 5879.72   | 823.80  |
|        | d) LT Electronic Tri-Vector Meter 5A, Class-0.5/1.0 accuracy                                  | No           | 1    | 2629.28  | 945.78   | 2808.07   | 1010.10 |
| 11     | 11 kV lightning Arrester , Metal oxide, 9 kV, 5 kA  | Set of 3 Nos | 1    | --   | 106.30   | --  | 113.53  |
| 12     | HG Fuse, 11kV solid core Type   | Set/3Nos     | 1    | 918.43   | 211.23   | 980.88  | 225.60  |
| 13     | 11kV , 200Amps, Single Break GOS  | Set          | 1    | 8121.10  | 953.96   | 8673.33   | 1018.83 |

**Note:** Only 9RCC Poles material price as in Part-A shall be included for DP TC Set

**You are requested to acknowledge this Letter of Intent to award and send your acceptance, execute the contract agreement and furnish the bank guarantee within 20 days from the date of LOI. On your acceptance for the same, the Detailed Work Award will follow.**

  
 General Manager (Procurement),  
 CESC, Mysuru

Copy:

1. Chief Financial Officer, CESC, Mysuru for information
2. Chief Engineer (Elec), CESC, O& M Zone, Mysuru for information
3. Chief General Manager(I/A), CESC, Mysuru for information
4. General Manager (Tech), Corporate Office, CESC, Mysuru for information
5. Superintending Engineer (Elec), CESC, Mysuru Circle for information
6. Executive Engineer (Elec), O&M Division, K.R. Nagara for further needful
7. MIS Section, to publish in cescmysore.org
8. PS to MD/DT to place before Honorable MD/Director(Technical), CESC
9. MF/OC